





VpCI™ EMITTING SYSTEMS & ELECTRONIC PRODUCTS

VpCI®-105 Emitter, Patented



PRODUCT DESCRIPTION

Cortec VpCl-105 emitters are unique devices designed to provide corrosion protection for metal components and parts enclosed in non-ventilated control boxes, cabinets, or tool boxes up to 5 cubic feet (141.6 liters). The VpCl-105 device emits Vapor phase Corrosion Inhibitors (VpCls), which form a protective coating on all metal surfaces. VpCl-105 is a patented plastic emitter with a breathable Tyvek® membrane through which the corrosion inhibitor is released. It provides long-term protection against corrosion even in the presence of adverse conditions including salt, moisture, airborne contaminants, H₂S, SO₂, NH₃, and others.

TYPICAL APPLICATIONS

VpCI-105 can be effectively used for the protection of metal in any enclosure:

- Packaging and storage electrical equipment
- Marine navigation and communication electronic equipment
- Aerospace electrical controls
- Electric motors
- Switching equipment
- Fuse boxes and power boxes
- Medical equipment
- Electrical wireways and terminal boxes

- · Scientific and measuring instruments
- Telecommunications equipment
- Remote electronics devices
- Hand-held battery-operated devices
- Tool-boxes, gun safes, and any other enclosure for metal storage

FEATURES

- Economical to use
- Provides continuous protection for up to 24 months
- Effective in polluted and humid environments
- Does not interfere with electrical, optical, or mechanical surface properties
- Multimetal protection
- Quick and easy installation
- Protects during operation and shutdown
- Non-toxic and safe to handle
- Compact, space-saving, and unobtrusive device
- Free of nitrites, halogens, and phosphates
- No spraying, wiping, or dipping required
- Low VOC values
- Meets Southern California Clean Air Act and other National and local regulations
- Self-stick back
- Self-stick date label
- Accepted by FDA for corrosion protection of electrical and electronic equipment within food processing plants
- Approved for U.S. military and NATO
- NSN 6850-01-406-2060
- Conforms to MIL I-22110C
- RoHS Compliant

METHOD OF APPLICATION

VpCl-105 is extremely simple and convenient to install. The device should be installed at the earliest possible time. Simply select a space within any enclosure where corrosion protection would be useful. Verify the surface the device will be affixed to is clean and free of debris. Peel off the protective peel strip from the bottom of the device and attach it to the clean surface.



VpCI-105 emitters can be installed in any position. For volumes greater than 5 cubic feet (141.6 liters), use more than one device. If the enclosure is not totally airtight, or if the access doors are opened frequently, replace the VpCI-105 device more often than every 2 years. After periods of heavy maintenance, replace the device. For additional protection spray the enclosure very lightly with ElectriCorr VpCI-238 or VpCI-239.

SPECIFICATIONS

Packaging 20 per carton

Protection up to 5 ft³ (141.6 Liters)

per device

Standard Size Plastic emitter cup with

breathable membrane 2.25" D x 0.75" H (5.7 cm D x 2 cm H)

Product should not be exposed to temperatures over 185°F (85°C).

FOR INDUSTRIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
KEEP CONTAINER TIGHTLY SEALED
NOT FOR INTERNAL CONSUMPTION
CONSULT MATERIAL SAFETY DATA SHEET FOR
MORE INFORMATION

LIMITED WARRANTY

All statements, technical information and recommendations contained herein are based on tests Cortec Corporation believes to be reliable, but the accuracy or completeness thereof is not guaranteed.

Cortec Corporation warrants Cortec® products will be free from defects when shipped to customer. Cortec Corporation's obligation under this warranty shall be limited to replacement of product that proves to be defective. To obtain replacement product under this warranty, the customer must notify Cortec Corporation of the claimed defect within six months after shipment of product to customer. All freight charges for replacement products shall be paid by customer.

Cortec Corporation shall have no liability for any injury, loss or damage arising out of the use of or the inability to use the products.

BEFORE USING, USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR ITS INTENDED USE, AND USER ASSUMES ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH. No representation or recommendation not contained herein shall have any force or effect unless in a written document signed by an officer of Cortec Corporation.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITHERS FOR A PARTICULAR PURPOSE. IN ON CASE SHALL CORTEC CORPORATION BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.



4119 White Bear Parkway, St. Paul, MN 55110 USA Phone (651) 429-1100, Fax (651) 429-1122 Toll Free (800) 4-CORTEC, E-mail info@cortecvci.com Internet http://www.CortecVCl.com

printed on recycled paper 100% post consumer
Revised 3/2/09 Cortec Corporation 1998-2009. All rights reserved. Supersedes:5/28/08
Tyvek* is a trademark of E.I. DuPort & Company.
ElectriCorr® and Cortec® are trademarks of Cortec Corporation
© 2009, Cortec Corporation. All Rights Reserved. Copying of these materials in any form without the written authorization of Cortec Corporation is strictly prohibited.

Distributed by: